

Yeou 2nd Bridge Underpass | Yeou 2nd Bridge Crossroad | Yeou 2nd Bridge Underpass

Seou Business Inc. & Overseas Business Inc.
 3, 55 Gil, Gukhoe-dae-ro, Youngdeungpo-Gu, Seoul, Korea
 (Area) Seoul, Kyung-gi, Chungbuk, Chungnam(Seosan, Dangjin, Hongseong), Jeju
 Seoul TEL : 82-2-2632-3034~6 / FAX : 82-2-2632-0392
 Overseas TEL : 82-2-2632-3945 / FAX : 82-2-2632-3949
 E-mail : webmaster@gett.co.kr

Gangwon Branch
 39, 86Beon-gil, Seowondae-ro, Wonju, Gangwon-Do, Korea
 (Area) Gangwondo
 TEL : 82-33-743-3034 / FAX : 82-33-742-3034

Jungbu Expressway

Southern Business Inc.
 33, 2Gil, Gukchaebosang-ro, Seo-Gu, Daegu, Korea
 (Area) Kyeong nam, Kyeng buk, Jeonnam(Sooncheon)
 TEL : 82-53-551-0126~9 / FAX : 82-70-7469-0126
 E-mail : south@gett.co.kr

Gilin road

Central Business Inc.
 2, Yusang-ro, Deokjin-Gu, Jeonju, Jeollabuk-Do, Korea
 (Area) Jeonbuk, Jeonnam(except Sooncheon), Chung nam(except Seosan, Dangjin, Hongseong)
 TEL : 82-63-214-5430~2 / FAX : 82-63-214-5434

Warehouse of Overseas Business Inc.
 51, 37Beon-Gil, Gajeong-ro, Seo-Gu, Incheon, Korea
 TEL : 82-32-582-1435 / FAX : 82-32-571-1435
 E-mail : webmaster@gett.co.kr

GETT[®]
 www.gett.co.kr

GETT[®]
 www.gett.co.kr

G.E.T. & Undercarriages



All manufacturer's name, descriptions, models are used for reference purpose only. And it is not implied that any part listed is the products of these manufacturers.

Your GETT dealer

※ You can get detailed products list from our web site (www.gett.co.kr)

YUCHANG CMI CO., LTD.

Introduction



With the support and attention of customer, we have 30th anniversary in this year. We, YUCHANG is always considering customer's value and trying to provide top quality product with most reasonable price through reasonable distribution network. These efforts have been a main capability of YUCHANG and now, inflexible will for absolute quality of product & trust management has been a culture of all of YUCHANG people.

GETT produces products based on customer's working condition and demand. To meet all customer's demands & requests, and to create top value of customer service, we had made our own brand, "GETT" and "GETT" has become a most valuable brand of Construction Equipment parts.

History

- 1988 Established YUCHANG tractor in Seoul.
- 1992 Branch out Daegu office and warehouse for the southern market in Korea.
- 1995 Incorporate as YUCHANG tractor Co., Ltd
- 2001 Built new HQ office and warehouse in Seoul.
- 2002 Newly-organized dept. overseas business in H.Q
Built new office and warehouse in Daegu.
- 2003 Started to use GETT as private brand of YUCHANG.
- 2004 Incorporated Daegu branch as YUCHANG Tractor Co., Ltd.
- 2005 Established new incorporation in Jeonju for central market in Korea.
Changing all of incorporations name as YUCHANG CMI Co., Ltd.
Acquired ISO9001 certification
- 2006 Established new incorporation in Seoul and Incheon for Overseas Business.
- 2007 Registered GETT brand in Korean Intellectual Property Office (K.I.P.O)
- 2008 Established new logistics center in Incheon (Overseas Business Inc.)
- 2010 Presented BAUMA 2010 Exhibition
Built new office and warehouse in Daegu.
Registered GETT brand in RUSSIA, JAPAN, CHINA
- 2012 Built new office and warehouse in Jeonju.
Established new sale office and logistic center in Wonju
- 2013 Presented BAUMA 2013 Exhibition
Built new office and warehouse of Seoul Business Inc.
- 2014 Resgistered GETT brand in INDIA and VIETNAM'
Presented BAUMA CHINA 2014 Exhibition
- 2016 Presented BAUMA 2016 exhibition
Presented BAUMA CHINA 2016 exhibition
Launched Hydraulic Breaker business
- 2017 Presented CTT2017 exhibition
Launched Crushing Plant business
- 2018 Presented Mining Vietnam 2018 exhibition
Presented CTT2018 exhibition
Presented BAUMA CHINA 2018 exhibition

Service & History

YUCHANG provides GETT products through regularly direct delivery services for domestic customers.



Seoul Business Inc.



Seoul, Gyeonggi-Do, Choongcheongbuk-Do, ChoongCheongnam-Do(Seosan, Dangjin, Hongseong), Jeju-Do

Oversea Business Inc.



Support of direct and local export/ Support of OEM development for casting and forging products.

Central Business Inc.



Jeollabuk-Do, Jeollanam-Do(except Sooncheon), Chuncheongnam-Do(except Seosan, Dangjin, Hongseong).

Gangwon Branch



Gangwon-Do

Southern Business Inc.



Gyeongsangbuk-Do, Gyeongsangnam-Do, Jeollanam-Do(Sooncheon).



Ground Engaging Tools

G.E.T. products GETT brand which were proven their superiority by poor sites in the world will prevent damages of products and improve working efficiency through most advanced dissolution and heat treatment.



EX) GETT4 Material

	C	Mn	P	S	Si	Ni	Cr	Mo
chemical Analysis	0.26 - 0.30	0.70 - 0.90	Max 0.030	Max 0.030	1.40 - 1.60	0.15 - 0.30	1.70 - 1.90	0.25 - 0.40
Physical Analysis	Hardness		Impact Charpy V					
	HRC	HB	Normal Temp.	At -40°C				
	49-52	470-514	akv ≥ 28J/cm²	akv ≥ 22J/cm²				

BUCKET

YUCHANG can supply the bucket for mini machine through 120ton excavators. And also, we can supply the bucket for various loader according to customer's request.



We use a differentiated raw material and design according to the purpose of bucket to prevent damage & early abrasion.



BRAND	PRODUCT RANGE
HYUNDAI	ALL KINDS OF GET OF HYUNDAI
DOOSAN	ALL KINDS OF GET OF DOOSAN
VOLVO	ALL KINDS OF GET OF VOLVO
CATERPILLAR	J200 ~ J800, ALL KINDS OF RIPPER TOOTH, CUTTING EDGE & END BIT
KOMATSU	PC30 ~ PC1250, D60 ~ D475 RIPPER TOOTH, CUTTING EDGE & END BIT
HITACHI	EX60 ~ EX400(18S ~ 45S)
ETC.	ESCO, KOBELCO, HENSLEY, JCB

We also can supply attachments for Excavator, Dozer, and Loader

TRACK LINK



1. Track Links

GETT track link which has consistent quality through steady research and automated production line, is the masterpiece of Track Link which has strong durability with surface hardness – Rockwell C55 & Depth hardness – Rockwell C 45.

2. Pin&Bushing

The first purpose of GETT pin & bushing is to extend the lifetime of product by reducing the mutual friction. For Bushing, surface hardness is over than Rockwell C 50, depth hardness 40. And also, for Pin, surface hardness is over than Rockwell C60, depth hardness 50. With these specifications, the durability of GETT Pin & Bushing has been increased.

3. Assembly

GETT track link is produced in fully automated assembling line. And as for lubricated type, it is also produced by automated oil control device.

Model	Pitch	Exchangable Model	Model	BERCO NO.	PITCH	TYPE1	TYPE2	Model	BERCO NO.	PITCH	TYPE1	TYPE2
MX3	135	PC40	D3C	CR3657	155.6	SEAL	SPLIT	D30/31	KM239A	154	SEAL	MASTER PIN
S50	135	MX55, EC55, D20, PC60-3/5	D3C	CR4746	155.6	LUB	SPLIT	D30/31	KM727	154	LUB	SPLIT
PC60	135	PC60-1~5, D20/D21, SD4P	D3G	CR6166	155.6	LUB	SPLIT	D41P-16		171.5	LUB	SPLIT
R500	135	CAT307B, CAT E708, R550-3, EX40	D4E	CR2849	171.5	SEAL	MASTER PIN	D50	KM62	175.4	SEAL	MASTER PIN
EX60-1	154	EX60-1/2/3, SK60, S70, EX75UR	D4E	CR3628	171.5	SEAL	SPLIT	D61PX-12	KM2868	190	LUB	SPLIT
EX60-5	154	PC60-6/7, SK60, EX60-5, ZX70, ZX60	D4E	CR3519	171.5	LUB	SPLIT	D60/65	KM953	203.2	SEAL	MASTER PIN
PC120-3	154	PC100-1/2, PC100-3/PC120-1/2, PC120-3, D30	D4H	CR5192	171.5	LUB	SPLIT	D60/65	KM952	203.2	SEAL	SPLIT
D4/EX100	171	R1400, S130/140/175LC-V, MX132, EC140, MX6LC, SK100/120, EX120, ZX120, E110/120 CAT311/312	D4H-HD/D5N	CR5552	171.5	LUB	SPLIT	D60/65	KM951	203.2	LUB	SPLIT
PC120-5	175.5	PC100-5/6, PC120-5/6, PC130-6/7	D5G	CR6856	171.5	LUB	SPLIT	D85ESS-2	KM2095	203.2	SEAL	MASTER PIN
R200	171	MX8-2, SE210LC-1, MX8, R2000	D5B	CR2823	175.4	SEAL	MASTER PIN	D85ESS-2	KM2094	203.2	LUB	SPLIT
EX200-1	175	DH220, S220LC, SK07N-2, PC200-1/3, EX200-2/5	D5	CR3627	175.4	SEAL	SPLIT	D80/85	KM1103	216	SEAL	MASTER PIN
PC200-5	190	R2200LC-3/7/9, R2500, MX222, SE210LC-2, EC210 MX255, EC240, S220-3/5/250LC-V, DX225, ZX240-3 ZX230, PC200-3/5/7, SK09, EX220-5	D5H-HD/D6M	CR5465	190	LUB	SPLIT	D80/85	KM1099	216	LUB	SPLIT
CAT320	190	E200B/240, CAT318/320/322, SK200/210/220/230, CAT322, JC200/220	D6C/D	CR3176	203.2	SEAL	MASTER PIN	D155A-1	KM325	228	SEAL	MASTER PIN
S280-3 PC300-1	203	R2800K, R2900LC-3/3300LC-3, S290-5/300-5/330-3, MX292/10-2, EC290, EX300-1/3, PC300-1~5	D6C/D	CR3309	203.2	LUB	SPLIT	D155A-1	KM425	228	LUB	SPLIT
CAT325	203	CAT325BL, CAT325BLN, CAT329	D6H-HD	CR5534	203.2	LUB	SPLIT	D275A-5		260.4	LUB	SPLIT
SK300	203	SK300	D7F/G	CR2576	216	SEAL	MASTER PIN	D355A-3	KM596	260.4	SEAL	MASTER PIN
R290-7	216	DX300LC, EX300-5, ZX330, PC300-6~7, R320LC-7	D7F/G	CR3308	216	SEAL	SPLIT	D355A-3	KM426	260.4	LUB	SPLIT
MX352 PC400-1	216	HX4200, R3600-3/7, R4200/4500/5000, S400/450, EC330/360, EX400LC-1, PC400-1~3	D7F/G	CR3116	216	LUB	SPLIT	D375A-3	KM1274	280	LUB	SPLIT
MX452 PC400-3	216	PC400-5, EC460, EX400-2/3/5, ZX450	D7H	CR5069	216	LUB	SPLIT	FIAT FL4	FT1351B			
CAT 330	216	SK330, SK330BL, SK350	D7H-HD/TR	CR5574	216	LUB	SPLIT	FIAT FL6	FT905			
CAT345B	216	CAT345C	D8N/D8R	CR4525	216	LUB	SPLIT	NH D255		216	LUB	SPLIT
PC400-6/7	228	PC450-6, PC450-7	D8K/D8H	CR2877	228.6	SEAL	MASTER PIN					
PC750/800	260.4	PC750/800	D8K/D8H	CR2701	228.6	SEAL	SPLIT					
EC700	260.4	R800	D8K/D8H	CR3149	228.6	LUB	SPLIT					
ZX600/ FX550	228.6	EX500/550, ZX480MT/MTH, ZX500, ZX600/650	D9L		228.6	LUB	SPLIT					
			D9N/D9R	CR4653	240	LUB	SPLIT					
			D9G/D9H		260.4	LUB	SPLIT					
			D10N	CR5038	260.4	LUB	SPLIT					

* The above mentioned list is classified by size of pitch and size of bolt hole might vary in size

IDLER

GETT idler can be divided as casting and forged product. We lead the trend of Idler market by the extension of application for Dozer and rough condition site.

By the high frequency heat treatment, we control the surface hardness as over Rockwell C 45. With this, We basically removed the early abrasion and damage of idler in the rough site.



Track Shoe & Bolt / Nut

GETT supply track shoe of the range from track pitch 135mm to 280mm for all kinds of construction machineries. Customer can choose our GETT track shoe by the machine and purpose such as triple grouser for excavator, rubber pad for mini excavator, single grouser for dozer and self cleaning for swamp site.



GETT also can supply bolt & nut for all kinds of track shoe and segment

Hydraulic Parts & Others

GETT can provide various hydraulic parts and other spare parts for customer's convenience.



HYUNDAI
HEAVY INDUSTRIES CO.,LTD.



VOLVO



DOOSAN
Infracore



LUBRICANT



BRAND	PRODUCT RANGE
HYUNDAI	ALL KINDS OF IDLER FOR HYUNDAI EXCAVATOR
DOOSAN	ALL KINDS OF IDLER FOR DOOSAN EXCAVATOR
VOLVO	ALL KINDS OF IDLER FOR VOLVO EXCAVATOR
CATERPILLAR	CAT311 ~ CAT345(E110 ~ E300), D3 ~ D10N
KOMATSU	PC60 ~ PC450, D30 ~ D375
HITACHI	EX60 ~ ZX450
KOBELCO	SK60 ~ SK400
KATO	HD250 ~ HD1250
ETC.	mitsubishi, SUMITOMO