Company *	SHINYOUNG MACHINERY CO.			
Registered Number *		1378624666		
Addresst	766-2, Haseong-ro, Haseong-Myeon, Gimpo-si, Gyeonggi-do, South Korea			
Address				
Telephone*		82-31-981-6588		
Homepage*		http://www.shinyoungmc.com		
<u></u>	CONCRETE	VIBRATOR ACTION UNIT		
Product Details				
	Product Description*	It is used to lay to strengthen concrete in construction site.		
		Construction & Equipments		
		846799		
		SYV series concrete vibrator provides the best performacnce & dynamic power by special vibration system of pendulum type. The low rotational speed about 3,000 RPM provides less wear & tear for all rotating parts. Unique spring concept guarantees long durability. Available to our drive unit and most of the standard drive units Sping connection (Premium), Direct connection (Standard). Various models available(SYV-32, SYV-38, SYV-45, SYV-60). Frequency 12,000- 14,000 V.P.M. 6m flexible hose.		
Product Details		HANDY CONCRETE VIBRATOR MOTOR UNIT		
		It is used to lay to strengthen concrete in construction site.		
		Construction & Equipments		
		846799		
	SYHV of handy vibrator is more useful & practical in small space.			
d Vibrator SYHV-32	- Model : SYHV-32 - Frequency: 12,000 V.P.M. - Amplitude :1.1mm - Head Dia x L. : 32 X 190mm			
	General CONCRETE VIBRATOR			
and the state of the	Product Description*	It is used to lay to strengthen concrete in construction site.		
	Category*	Construction & Equipments		
- PARANA I	HS Code (6 digits)*	846799		
	solution of power unit. - Model : SYEM-1(out 3(2.2Kw)	vibrator motor gives users a easy out 0.75Kw), SYEM-2(1.5Kw), SYEM- 2850(50Hz), 3450(60Hz)		
	Address* Telephone* Homepage* S S S S S	Address* 766-2, Hased Gy Telephone* Homepage* http:// S CONCRETE Product Description* Category* HS Code (6 digits)* PID(BK) Features* SYV series concrete v SYV series concrete v & dynamic power by stype. The low rotational spe & tear for all rotating p Available to our drive of Sping connection (Pre Various models availa Frequency 12,000-14 6m flexible hose. S HANDY CONCR Product Description* Category* HS Code (6 digits)* PID(BK) Features* SYHV Series concrete v Address availa Frequency 12,000-14 6m flexible hose. S HANDY CONCR Product Description* Category* HS Code (6 digits)* PID(BK) Features* SYHV 32 * Nodel : SYHV-32 • Frequency: 12,000 V • Amplitude : 1.1mm Head Dia X L. : 32 X General CO Product Description*		

Broduct Dotailo EQAM CONODETE VIDDATOD			
Product Details	FOAM CONCRETE VIBRATOR		
1.75	Product Description*	It is used to lay to strengthen concrete in construction site.	
	Category*	Construction & Equipments	
	HS Code (6 digits)*	846799	
	PID(BK)		
	Features* SYEV of handy vibrator is more useful & practical in small space.		
MODEL : Foam Vibrator SYEV			
Product Details	SUB	MERSIBLE PUMP	
	Product Description*	It is the pump to drain the water.	
	Category*	Construction & Equipments	
	HS Code (6 digits)* PID(BK)	846729	
	Features*		
	SYSP submersible pump is suitable for drainage disposal work. Muddy water can also be pumped out easily. Including flexible hose & body. No priming required. Specifications : • Model : SYSP-3M, • Discharge Dia. 3 inch. • Max capacity :1,500/mm • Max Length 6m (Standard) • Engine : 3.5 - 6HP /3,600 R.P.M.		
Product Details	PLA		
$\bigcap = = = = = = = = = $	Product Description*	Single-direction plate compactor is desigened to compact granular soli and crushed aggregate. Allumium puilley & rotor make user	
	Category*	Construction & Equipments	
SYC-120	HS Code (6 digits)*	846799	
	PID(BK) Features* - Model : SYC-60 SYC-80 SYC-120 - Weight : 60Kg, 70Kg, 115Kg - Engine(HP) : 4.5~5.5, 5.5~6.0, 5.5~6.0. - Fuel : Gasoline - VPM : 560,580, 580		

	Product Detail	5	HANDY REBAR CUTTER		
A.F.			Product Description*	It is cutting machine for rebar.	
		the line	Category*	Construction & Equipments	
			HS Code (6 digits)*	846729	
		1 - ALE AL	PID(BK)		
			Features* Safe and efficient cutting is possible, and it is the best stable performance because of the finest forged body that gives a balanced light effect at home.Specifications: - Model : SYC-25 - Max cut diameter : 25mm - Cut speed : 3 seconds - Power : 22V, 50/60hz,1phase. - Total weight : 21 kg. - Dimension : 130 x 250 x 480mm		
	Product Detail	 S	PORTABLE REBAR BENDER		
			Product Description*	It is portable bending machine.	
-			Category*	Construction & Equipments	
			HS Code (6 digits)*	846229	
1	HIN YOUNG BAR BEN	199	PID(BK)	010220	
	SHIN TOUNG DAR BEN	JER	Features*		
4		25	It is designed for portable by two persons and accurate bending consistently.		
1			Strong mechanical bender with two preset angle locks helps		
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	to save valuable man hours.		
			It is very simple and safe to operafe with effective		
	No.		performance.		
			Specifications :		
			- Model : SY-25S/SY-35S		
			- Max Bending diamenter : 25mm/35 mm - Bending speed : 4 seconds.		
			- Power : 220V, 50/60hz, 1 phase.		
			- Total weight : 92kg/158kg		
			- Diemension : 450 x 410 x 530mm/604 x 510 x 610mm		
	Product Detail	S	MOBI	E REBAR CUTTER	
			Product Description*	It is mobile cutting machine for rebar.	
1		No.	Category*	Construction & Equipments	
			HS Code (6 digits)*	846150	
		Л	PID(BK)		
			Features*		
			The performance is me	ore stable with compact structure and	
	•		strong technical force.		
			Durable wheels make it easy to move where it is needed.		
				fficiency make it more convenient and	
economical.					
Add	1				
Add			T for the second of		
Certifications*	\ /: - 4	CE for the products			
Export Areas	Vietnam, UAE, USA, France, Saudi Arabia, Kuwait, Indonesia, Malaysia etc				
Local/Global Clients*	several clients in Vietnam, Saudi Arabia, Sriranka, UAE				
	Name / Job Title*				
	Name / Job Title*	(1)ChangGun Shin/President (2)Tehion SongGoo(General Manager / Export)			
Point		(T)onangoan onn	()		
of	Tel / Fax*		T) 82-31-981-6588 F)	82-31-981-7110	
			()	82-31-981-7110	